






MAGIC STRING LITE® 68 - 69
MAGIC DRAPE LITE® 70 - 73
MAGIC GARLAND LITE® 74 - 75


MAGIC



LED FROSTED



QUICK FIX®





MAGIC STRING LITE®



Rubber 230V



- QUICK FIX®

-
-
-
-



IP44



2


230





MAGIC STRING LITE® 144

012-107  
 MSLR-144-230VGR
 : 6m
 : 1
 : 144
 : 6.00 m
 230 V, 105 W, : 144






QUICK FIX® Main Connector

014-233  SHUKO QUICK FIX®





MAGIC STRING LITE® 144

018-075  
 : 6m
 : 1
 : 144
 : 6.00 m
 230 V, 10 W, : 144



QUICK FIX® Main Connector

014-418  SHUKO QUICK FIX®



MAGIC DRAPE LITE®



Rubber 230V



- QUICK FIX®

-
-
-
-



IP44



2



230






MAGIC DRAPE LITE® 120

012-103  
MDLR-120-230VGR
 : 1m x 1.5m
 : 6
 : 20
 : 1.50 m
 230 V, 110 W, : 120
 2 = 1

012-104  
MDLR-120-230VWH
 : 1m x 1.5m
 : 6
 : 20
 : 1.50 m
 230 V, 110 W, : 120
 2 = 1







014-318
 1.5 m


014-319
 1.5 m

1 = 6 1.5 , .20

MAGIC DRAPE LITE® 240

012-105  
MDLR-240-230VGR
 : 1m x 3m
 : 6
 : 40
 : 3.00 m
 230 V, 220 W, : 240

012-106  
MDLR-240-230VWH
 : 1m x 3m
 : 6
 : 40
 : 3.00 m
 230 V, 220 W, : 240




014-320
 3.0 m


014-321
 3.0 m

1 = 6 3.0 , .10

QUICK FIX® Main Connector

014-233 
 SHUKO

QUICK FIX®



MAGIC DRAPE LITE®



Rubber 230V



- QUICK FIX®

-
-
-
-



IP44



2







230






FROSTED LED MAGIC DRAPE LITE® 120

018-073  
LEDMDLR-120-230VWHWH
 : 1m x 1.5m
 : 6
 : 20
 : 1.50 m
 230 V, 12 W, : 120
 2 = 1



018-071  
LEDMDLR-120-230VWHPI
 : 1m x 1.5m
 : 6
 : 20
 : 1.50 m
 230 V, 15 W, : 120
 2 = 1






014-331
 1.5 m

014-329
 1.5 m

FROSTED LED MAGIC DRAPE LITE® 240

018-074  
LEDMDLR-240-230VWHWH
 : 1m x 3m
 : 6
 : 40
 : 3.00 m
 230 V, 24 W, : 240


018-072  
LEDMDLR-240-230VWHPI
 : 1m x 3m
 : 6
 : 40
 : 3.00 m
 230 V, 60 W, : 240



014-332
 1.5 m

014-330
 1.5 m

LED QUICK FIX® Main Connector

014-419 
 SHUKO

QUICK FIX®



MAGIC GARLAND LITE®



Rubber 230V



- QUICK FIX®

-
-
-
-




IP44



2


230








MAGIC GARLAND LITE® 180



012-024  
MGLR-180-230V
 : 2.7m x 0.6m
 : 1
 : 180
 : 2.70 m
 230 V, 65 W, : 180





MAGIC GARLAND LITE® 180


018-035  
LEDMGLR-180-230VWHBL
 : 2.7m x 0.6m
 : 1
 : 180
 : 2.70 m
 230 V, 13 W, : 180



018-070  
LEDMGLR-180-203VWHWH
 : 2.7m x 0.6m
 : 1
 : 180
 : 2.70 m
 230 V, 13 W, : 180

018-069  
LEDMGLR-180-230VWHPI
 : 2.7m x 0.6m
 : 1
 : 180
 : 2.70 m
 230 V, 13 W, : 180

QUICK FIX® Connector

014-246 
 LED
 : 480 W

QUICK FIX® Box

